



# Køretøjsidentifikation

FI-resultaterne i kataloget er forslag, som skal kontrolleres for rigtighed og logik.

## Køretøjsdata

<b>Stelnummer</b>	WVVZZZ1JZXW161555
<b>Model</b>	golf 1.6 GOLF
<b>Produktionsdato</b>	21.07.1998
<b>Modelår</b>	1999
<b>Salgstype</b>	1J12J4
<b>Motorkendingsbogstav</b>	AKL
<b>Gearkendingsbogstav</b>	DLP
<b>Akseldrevskendemerke</b>	5S
<b>Udstyr</b>	EM
<b>Tagfarve</b>	D8
<b>Udvendig farve / Laknummer</b>	D8 / P3G

## Pr. nr.

<b>Activated carbon canister</b>	1E1	Activated carbon canister
<b>Additional body covers, side</b>	6EJ	Additional body cover on sill without wheel arch

<b>Additional child seat anchors</b>	3B0	Without additional child seat anchor
<b>Additional dust seals</b>	6U0	Without additional seals outside
<b>Additional tires (winter tires)</b>	2WA	Without additional tires
<b>Additional tunnel cover</b>	4J1	Floor tray, extension center console
<b>Additional warning lights</b>	9TB	Additional warning lights (door area)
<b>Air bag</b>	4UE	Air bag for driver and front seat passenger
<b>Antennas</b>	8L3	Roof antenna
<b>Anti-theft protection system</b>	7AA	Electronic vehicle immobilization device
<b>Antifreeze</b>	1C1	Antifreeze up to -25 degree celsius tolerance up to -30 degree C
<b>Automatic transmission indicator light</b>	9FA	Without automatic transmission indicator light
<b>Auxiliary heating</b>	9M0	Without auxiliary/parking heater
<b>Backrest release</b>	3H0	Without backrest release for front seats
<b>Base engine</b>	T6H	4-cylinder gasoline engine 1.6 L

unit 06A.F (aluminum  
)

<b>Batteries</b>	J1P	Battery 220 A (44 Ah)
<b>Body measures</b>	5C0	Without special body measures
<b>Body style</b>	K8G	Hatchback
<b>Brackets</b>	3P1	Bracket for first aid kit and warning triangle
<b>Brake pad wear indicator</b>	9U0	Without brake pad wear indicator
<b>Brake type, front</b>	1LQ	Front disc brakes with integrated adapter
<b>Brake type, rear</b>	1KK	Disc brakes, rear
<b>Braking systems</b>	1AC	Anti-lock brake system (ABS)
<b>Breakaway interior mirror</b>	4L2	Dipping breakaway interior rear view mirror
<b>Bumper</b>	2JB	Standard bumpers
<b>Carrier frequency for radio remote control</b>	5D0	Without carrier frequency
<b>Cassette and CD storage unit</b>	4W0	Without cassette and CD storage unit
<b>CD changer/CD player</b>	7A0	Without CD changer/CD player
<b>Cd enhancing underbody panel</b>	2D1	Complete cd enhancing underbody

panel

<b>CD ROM/DVD/SD card</b>	7QA	Without CD/DVD for navigation
<b>Center armrest</b>	6E0	Without center armrest front
<b>Center rear seat belts</b>	3C7	3-point seat belt for center rear seat
<b>Chassis</b>	2E0	Base chassis
<b>Component part sets with country-specific design requirements</b>	B0A	Component parts set without country-specific design requirement
<b>Components with special surface appearance</b>	6FE	Body-colored exterior mirror housings and tailgate handle
<b>Control number (no PR-Family)</b>	S0T	Pre-production series/SOP next MY
<b>Cruise control</b>	8T0	Without cruise control system (CCS)
<b>Cup holder</b>	4M5	Cup holder
<b>Door and lid locking system</b>	4F1	Central locking system
<b>Door and side trim panels</b>	4AF	Door and side trim panel in foam film and woven fabric
<b>Door pockets, front</b>	3YQ	Door pockets without insert mats
<b>Doors</b>	0A2	4 doors
<b>Drive layout</b>	1X0	Front wheel drive

<b>Engine compartment lighting</b>	9L0	Without engine compartment lighting
<b>Engine cooling system</b>	8Z5	Not hot country
<b>Engine specifications</b>	ME8	4-cylinder gasoline engine 1.6 L/74 kW with multi-point injection, EU 3D base engine is T6H
<b>Equipment levels</b>	A8C	Comfort equipment
<b>Exterior mirror setting</b>	6XB	Exterior mirrors: adjustable from inside
<b>Exterior noise suppression measures</b>	2B5	Additional exterior noise suppression
<b>Fire extinguisher</b>	6A0	Without fire extinguisher
<b>First aid kit / warning triangle</b>	1T0	Without first aid kit and warning triangle
<b>Flame retardent materials</b>	4Q1	Flame retardent materials
<b>Floor mats</b>	0TA	Without floor mats
<b>Fresh air intake for passenger compartment (with particulate filter)</b>	2V5	Fresh air intake system with activated charcoal canister
<b>Front fog light/additional headlight</b>	8WA	Without front fog light
<b>Front license plate carrier</b>	6W1	License plate carrier front (large)
<b>Front seats</b>	Q1A	Standard front seats

<b>Front stabilizer</b>	0AM	Front stabilizer
<b>Front underbody guard</b>	1SA	Without additional front underbody guard
<b>Fuel filler cap/door, locking option</b>	2W0	Fuel filler cap
<b>Fuel quantity for initial filling</b>	1Z0	Initial standard fuel filling
<b>Fuel systems</b>	0F2	Fuel system for carburetor gasoline engine
<b>Fuel tank treatment</b>	2LB	Fuel tank with special material treatment
<b>Gearshift boot/cover</b>	6R1	Leatherette gearshift boot
<b>Gearshift knob/handle</b>	6Q4	Comfort gearshift knob/handle
<b>General operating permit, alterations</b>	C05	Operating permit, alteration
<b>Generators</b>	8GM	Alternator 70 A
<b>Grab handles at roof frame</b>	5N6	Folding grab handles at roof frame soft fold-away
<b>Hand brake lever handle</b>	6PA	Plastic hand brake lever handle
<b>Headlight</b>	8JS	Twin headlight for driving on the right with clear lens
<b>Headlight activation</b>	8K1	Separate daytime

running lights

<b>Headlight washer system</b>	8X0	Without headlight washer system
<b>Headlight-range adjustment</b>	8Q1	Headlight-range adjustment
<b>Headrests</b>	3J7	Articulated and height-adjustable headrests for front seats
<b>Heat accumulator system/additional heater</b>	7E0	W/o heat accumulator/auxiliary heating
<b>Heated washer nozzles</b>	9T0	Without heated washer nozzles
<b>Heating and air conditioning system</b>	9AA	Manually controlled heating system
<b>Horns</b>	8Y0	Single-tone horn
<b>Identification plates</b>	1EX	Special identification plate for EC for M1 passenger vehicle
<b>Ignition/starter switch locking system</b>	0RA	Without ignition/starter switch locking system
<b>Insert for the filling up of unleaded fuel/fuel type</b>	2G7	Filler neck module 1 with insert
<b>Inserts</b>	5MA	Decorative inserts
<b>Instrument inserts</b>	U0C	Instrument insert with tachometer clock and km/h

speedometer

<b>Key for locking system</b>	8QC	Key with light
<b>Left exterior mirror</b>	5SL	Left exterior mirror: aspherical
<b>Left vanity mirror</b>	4SD	Left vanity mirror, illuminated
<b>Lock operation for tailgate/trunk lid</b>	4E0	Tailgate/trunk lid unlocking from outside
<b>Lockable wheel bolts</b>	1PA	Standard wheel bolts
<b>Luggage compartment cover</b>	3U1	Foldable trunk cover
<b>Luggage compartment floor covering</b>	6SC	Tufted trunk floor covering
<b>Luggage compartment lighting</b>	9E1	Luggage compartment lighting
<b>Luggage compartment lining</b>	5A2	Comfort trunk lining
<b>Luggage net/pocket on backrest(s)</b>	4U0	Without luggage nets/pockets on backrests
<b>Lumbar support</b>	7P0	Without lumbar support in seat backrests
<b>Manufacturing sequence differentiation</b>	0FA	Standard manufacturing sequence
<b>Molding roof liner</b>	6NH	Comfort molding roof liner unsplit

roof cutout rear (radio antenna)

<b>Multi-function display/trip computer</b>	9Q0	Without multi-function display/ on-board computer
<b>Nameplate set</b>	0QE	Nameplate set "1.6"
<b>Navigation device</b>	7Q0	Without navigation device
<b>Outdoor temperature gage</b>	9Y0	Without outdoor temperature gage
<b>Outer rear seat belts</b>	3ZG	3-point seat belts, outer rear with height adjustment
<b>Paint preservative/transit coating</b>	5K1	Paint preservative (wax)
<b>Park distance control</b>	7X0	Without park distance control
<b>Partition</b>	3CA	Without partition
<b>Platform module floor pan, rear</b>	4P0	Rear floor panel module, type 1
<b>Preparation for sound combination for rotating emergency light</b>	9F0	Without sound combination for rotating emergency light and radio antenna preparation
<b>Preparation for two-way radio installation</b>	9D0	Without preparation for two-way radio installation
<b>Proportioning valve</b>	1H0	Without proportioning

valve

<b>Protective side molding</b>	4B1	Protective side molding
<b>Radiator grille</b>	6KG	Radiator grille
<b>Radios</b>	8AA	Without radio
<b>Reading light</b>	8S2	One reading light front, two reading lights rear
<b>Rear axle</b>	0N1	Standard rear axle
<b>Rear cargo area</b>	3GA	Without cargo area
<b>Rear fog light</b>	8TC	Rear fog light for driving on the right
<b>Rear headrests</b>	3Q6	Three rear headrests
<b>Rear license plate carrier</b>	6P1	License plate carrier rear (ECE)
<b>Rear seat catch</b>	6QA	Rear seat catch
<b>Rear seats</b>	3NC	Rear seat bench/backrest, split folding
<b>Rear stabilizer</b>	0BC	Rear stabilizer
<b>Rear window wiper and washer system</b>	8M1	Rear window wiper and washer system with intermittent control
<b>Right exterior mirror</b>	5RQ	Right exterior mirror: convex
<b>Right vanity mirror</b>	4TD	Right vanity mirror illuminated

<b>Roll-up sun screen for rear and side windows</b>	3Y0	Without roll-up sun screen
<b>Roof insert/convertible top</b>	3FA	Without roof insert (standard roof)
<b>Roof rails/roof load rack</b>	3S0	Without roof rails/roof load rack
<b>Seat adjustment</b>	3L3	Manual height adjustment for front seats
<b>Seat belt check</b>	9P0	Without seat belt reminder
<b>Seat covering</b>	N4C	Fabric seat covering
<b>Seat heater</b>	4A0	Without seat heater
<b>Service interval prolongation</b>	QG0	Without service interval prolongation
<b>Shock absorption, chassis, front</b>	1GA	Front shock absorption, basic design 1
<b>Shock absorption, chassis, rear</b>	1JA	Rear shock absorption, basic design 1
<b>Side air bag</b>	4X1	Side air bag front
<b>Side and rear windows</b>	4KC	Side and rear windows in heat-insulating glass
<b>Side lights</b>	8F2	Side turn signal lights
<b>Smoking/non-smoking package</b>	9JB	Smoking package, ashtray front and rear
<b>Socket</b>	7B0	Without socket

<b>Spare wheel/breakdown set</b>	1G2	Steel spare wheel with original equipment tires
<b>Speaker installation</b>	8RE	4 speakers (passive)
<b>Special alarm systems</b>	9A0	Without taxi alarm system
<b>Special color trim</b>	0UA	Without special color trim
<b>Special editions</b>	E0A	No special edition
<b>Special labels/plates</b>	0SF	Labels/plates in Danish
<b>Special registration measures</b>	3M0	Without special measures
<b>Speedometer cable and seal</b>	8CC	Speedometer sensor without seal (electronic speedometer sensor)
<b>Start/stop system/regenerative braking</b>	7L0	Without inertia benefit system/ deceleration fuel cut-off/idle stop valve
<b>Steering</b>	1N1	Power steering
<b>Steering column systems</b>	2C5	Axial and vertical adjustable steering column
<b>Steering system arrangement</b>	L0L	Left-hand drive vehicle
<b>Steering wheels</b>	1MP	Steering wheel for air bag system

<b>Sticker (customized or special edition)</b>	0KA	Without stickers and badges
<b>Supertone system and tone sequence control</b>	9J0	Without supertone system and tone sequence control
<b>Taillight assemblies</b>	8SA	Taillight assemblies, standard design
<b>Telephone/telematics</b>	9W0	W/o car phone preparation/installation
<b>Throttle actuation</b>	0L0	Mechanical throttle actuation
<b>Tie down straps/net/pocket</b>	6M0	Without tie down straps/net/pocket
<b>Tire suppliers</b>	V0A	Tires w/o specification of tire brand
<b>Tires</b>	H1T	All-weather tires 255/55 R19 107H (NAR)
<b>Tool kit and jack</b>	1S7	Tool kit and aluminum jack
<b>Trailer hitch</b>	1D0	Without trailer hitch
<b>Transmission shafts</b>	1WB	Transmission shafts w/ 100 mm in diameter
<b>Transmission specifications</b>	G0C	5-speed manual transmission
<b>Transmission types/gearshift mechanisms</b>	0G3	Gearshift linkage

<b>Trunk sill protection</b>	2P0	Without trunk sill protection
<b>Type approval countries/countries with special requirements</b>	B04	Type approval Denmark
<b>Vehicle class differentiation units/platform components</b>	0CE	Vehicle class differentiation 1J0
<b>Vehicle specifications</b>	F0A	No special purpose vehicle, standard equipment
<b>Washer fluid level indicator</b>	8W0	Without washer fluid level indicator
<b>Weight category rear axle</b>	0YZ	Without determination of weight category for rear axle
<b>Wheel covers</b>	1NC	Full wheel covers
<b>Wheels</b>	C6D	Steel wheels 6J x 14 Offset 38
<b>Wheels</b>	U19	Alloy wheels 8.5J x 19 front, with 11J x 19 rear
<b>Window regulator</b>	4R0	Mechanical window regulator
<b>Windshield glass type</b>	4GF	Windshield in heat-insulating glass
<b>Windshield wiper intermittent control/light/rain sensor</b>	8N4	Windshield wiper intermittent control with potentiometer

(four speeds)

---

P07

---

PTB

---