



# Køretøjsidentifikation

FI-resultaterne i kataloget er forslag, som skal kontrolleres for rigtighed og logik.

## Køretøjsdata

<b>Stelnummer</b>	TMBCS61ZX62179037
<b>Model</b>	octavia ambiente OCT
<b>Produktionsdato</b>	27.10.2005
<b>Modelår</b>	2006
<b>Salgstype</b>	1Z3264
<b>Motorkendingsbogstav</b>	BKC
<b>Gearkendingsbogstav</b>	GQQ
<b>Akseldrevskendemærke</b>	5S
<b>Udstyr</b>	BK
<b>Tagfarve</b>	1B
<b>Udvendig farve / Laknummer</b>	1B /

## Pr. nr.

<b>Activated carbon canister</b>	1E0	Without activated charcoal canister
<b>Adapter (for trailer hitch)</b>	ND0	Without adapter
<b>Additional child seat anchors</b>	3B4	Child seat anchor for child seat system

## ISOFIX

<b>Additional warning lights</b>	9TB	Additional warning lights (door area)
<b>Air bag</b>	4UF	Driver's and front passenger air bag with front passenger air bag deactivation
<b>Air duct, front area</b>	VK0	Air duct, standard
<b>Antennas</b>	8L3	Roof antenna
<b>Anti-theft protection system</b>	7AA	Electronic vehicle immobilization device
<b>Auxiliary heating</b>	9M0	Without auxiliary/parking heater
<b>Backrest release</b>	3H0	Without backrest release for front seats
<b>Base engine</b>	T71	4-cylinder diesel engine 1.9 L unit 03G.1
<b>Batteries</b>	J0N	Battery 330 A (61 Ah)
<b>Battery/alternator capacity</b>	NY0	Standard battery/alternator capacity
<b>Body measures</b>	5C0	Without special body measures
<b>Body style</b>	K8B	Notchback
<b>Brake pad wear indicator</b>	9U1	Brake pad wear indicator

<b>Brake type, front</b>	1ZM	Disc brakes, front (Geomet D)
<b>Brake type, rear</b>	1KD	Disc brakes, rear
<b>Braking systems</b>	1AT	Electronic stabilization program (ESP)
<b>Breakaway interior mirror</b>	4L2	Dipping breakaway interior rear view mirror
<b>Breakdown spray</b>	GR0	Without emergency tire inflator
<b>Bumper</b>	2JB	Standard bumpers
<b>Carrier frequency for radio remote control</b>	5D1	Carrier frequency 433.92 MHz-434.42 Mhz
<b>CD changer/CD player</b>	7A0	Without CD changer/CD player
<b>CD ROM/DVD/SD card</b>	7QA	Without CD/DVD for navigation
<b>Center armrest</b>	6E0	Without center armrest front
<b>Center rear seat belts</b>	3C7	3-point seat belt for center rear seat
<b>Child seat anchor, front</b>	3G0	Without child seat anchor front (ISOFIX)
<b>Child seats</b>	QA0	Without child seat
<b>Chrome work package</b>	QJ3	Chrome package (type 2)
<b>Climatic zones</b>	0Y1	Standard climatic zones

<b>Component part sets with country-specific design requirements</b>	B0A	Component parts set without country-specific design requirement
<b>Components with special surface appearance</b>	6FB	Body-colored exterior mirror housings
<b>Controls (steering wheels/steering column)</b>	4LA	Without controls
<b>Cruise control</b>	8T2	Cruise control system (CCS) electronic
<b>Cruise control warning and speed limit system</b>	6Y0	Without cruise control warning system
<b>Dashboard illumination</b>	7V0	Standard dashboard illumination
<b>Door and lid locking system</b>	4K3	Radio remote controlled central locking operated from inside and safe securing
<b>Door and side trim panels</b>	3LD	Door and side trim panel
<b>Doors</b>	0A2	4 doors
<b>Doors/trays in trunk</b>	3N0	Without stowage box in luggage boot
<b>Drawers under front seats</b>	QN2	Drawer under right front seat
<b>Drive layout</b>	1X0	Front wheel drive
<b>Electronic map cooling system</b>	QS0	Without electronic map cooling system

<b>Emission standard</b>	0GG	Emission standard EU4
<b>Engine cooling system</b>	8Z5	Not hot country
<b>Engine specifications</b>	D3W	4-cyl. turbo diesel engine 1.9 L/77 kW TDI with pump-jet injection system Base engine is T71/TG0/TD0/T5X
<b>Equipment levels</b>	A8C	Comfort equipment
<b>Exhaust tailpipe</b>	0P0	Rear exhaust tailpipe (standard)
<b>Exterior mirror setting</b>	6XN	Exterior mirrors: electrically adjustable, separately heated
<b>Fire extinguisher</b>	6A0	Without fire extinguisher
<b>First aid kit / warning triangle</b>	1T0	Without first aid kit and warning triangle
<b>Floor mats</b>	0TA	Without floor mats
<b>Front fog light/additional headlight</b>	8WB	Front fog lights
<b>Front seat, left</b>	3TB	Standard seat, front left
<b>Front seat, right</b>	3SB	Standard seat, front right
<b>Front stabilizer</b>	0AD	Front stabilizer

<b>Front underbody guard</b>	<b>1SA</b>	Without additional front underbody guard
<b>Fuel filler cap/door, locking option</b>	<b>2W3</b>	Fuel filler cap remote unlocking
<b>Fuel quantity for initial filling</b>	<b>1Z2</b>	Increase in initial standard fuel filling
<b>Fuel systems</b>	<b>0F8</b>	Cooled fuel system for diesel engine
<b>Fuel tank treatment</b>	<b>2LD</b>	Fuel tank without differentiation of special material treatment (fluorination/co-extrusion)
<b>Gearshift knob/handle</b>	<b>6Q4</b>	Comfort gearshift knob/handle
<b>General operating permit, alterations</b>	<b>C00</b>	Operating permit, initial registration
<b>Generators</b>	<b>8GU</b>	Alternator 140 A
<b>Glove compartment</b>	<b>4Z5</b>	Glove compartment door with light
<b>Hand brake lever handle</b>	<b>6PA</b>	Plastic hand brake lever handle
<b>Headlight</b>	<b>8JM</b>	Twin headlight for driving on the right, with integrated high beam
<b>Headlight activation</b>	<b>8K1</b>	Separate daytime running lights

<b>Headlight washer system</b>	<b>8X0</b>	Without headlight washer system
<b>Headlight-range adjustment</b>	<b>8Q1</b>	Headlight-range adjustment
<b>Headrests</b>	<b>3J7</b>	Articulated and height-adjustable headrests for front seats
<b>Heat accumulator system/additional heater</b>	<b>7E6</b>	Electric auxiliary air heater
<b>Heated washer nozzles</b>	<b>9T0</b>	Without heated washer nozzles
<b>Heating and air conditioning system</b>	<b>9AP</b>	Climatic air-conditioning system (semi-automatic)
<b>Hill hold control</b>	<b>UG0</b>	Without hill hold control / hill descent control / comfort driving assist
<b>Hood and trunk stay</b>	<b>5NA</b>	Hood stay
<b>Horns</b>	<b>8Y1</b>	Two-tone horn
<b>Identification lights, roof</b>	<b>9KA</b>	Without identification lights
<b>Identification plates</b>	<b>1EX</b>	Special identification plate for EC for M1 passenger vehicle
<b>Ignition/starter switch locking system</b>	<b>0RA</b>	Without ignition/starter switch locking system

<b>Insert for the filling up of unleaded fuel/fuel type</b>	<b>2G5</b>	<b>Filler neck module 1 without insert</b>
<b>Inserts</b>	<b>5MD</b>	<b>Decorative aluminum inserts</b>
<b>Installation differentiation for vehicle components</b>	<b>0EJ</b>	<b>Installation differentiation for transmission MQ 250 vehicle components</b>
<b>Instrument inserts</b>	<b>U5A</b>	<b>Instrument insert, km/h speedometer</b>
<b>Interior light in driver compartment</b>	<b>9GG</b>	<b>Two interior lights with door pillar switches</b>
<b>Interior light in foot area</b>	<b>6T0</b>	<b>Without interior light in footwell</b>
<b>Key for locking system</b>	<b>8QL</b>	<b>Key for locking system with remote control</b>
<b>Left exterior mirror</b>	<b>5SL</b>	<b>Left exterior mirror: aspherical</b>
<b>Left vanity mirror</b>	<b>4SB</b>	<b>Vanity mirror left</b>
<b>Lockable wheel bolts</b>	<b>1PA</b>	<b>Standard wheel bolts</b>
<b>Luggage compartment cover</b>	<b>3U1</b>	<b>Foldable trunk cover</b>
<b>Luggage compartment floor covering</b>	<b>6SA</b>	<b>Without trunk floor covering</b>
<b>Luggage compartment lighting</b>	<b>9E3</b>	<b>Luggage compartment lighting</b>
<b>Lumbar support</b>	<b>7P4</b>	<b>Manually adjustable lumbar support in</b>



## front seats

<b>Manufacturing sequence differentiation</b>	0FA	Standard manufacturing sequence
<b>Mass damper for steering wheels</b>	1Q0	Without mass damper for steering wheel
<b>Mud flap</b>	6N1	Mud flaps rear
<b>Multi-function display/trip computer</b>	9Q1	Multi-function display/on-board computer
<b>Nameplate set</b>	1RX	Nameplate set in base trim
<b>Navigation device</b>	7Q0	Without navigation device
<b>Outdoor temperature gage</b>	9Y1	Outdoor temperature gage
<b>Outer rear seat belts</b>	3ZM	3-point seat belts, outer rear
<b>Owner's manuals</b>	0VL	Information kit in Danish
<b>Paint preservative/transit coating</b>	5K1	Paint preservative (wax)
<b>Park distance control</b>	7X0	Without park distance control
<b>Parking light indicator light</b>	8NB	Parking light indicator light
<b>Partition</b>	3CA	Without partition
<b>Pedal cluster</b>	VF0	Standard pedal cluster

<b>Pedestrian protection</b>	VL0	Standard pedestrian protection measures
<b>Platform group class</b>	7PB	Platform group class 2
<b>Platform module floor pan, rear</b>	4P3	Rear floor panel module, type 4
<b>Preparation for sound combination for rotating emergency light</b>	9F0	Without sound combination for rotating emergency light and radio antenna preparation
<b>Preparation for two-way radio installation</b>	9D0	Without preparation for two-way radio installation
<b>Protective side molding</b>	4B1	Protective side molding
<b>Radios</b>	8AA	Without radio
<b>Reading light</b>	8S5	Two reading lights front
<b>Rear cargo area</b>	3GA	Without cargo area
<b>Rear fog light</b>	8TC	Rear fog light for driving on the right
<b>Rear headrests</b>	3Q6	Three rear headrests
<b>Rear seats</b>	3NC	Rear seat bench/backrest, split folding
<b>Rear stabilizer</b>	0BD	Rear stabilizer
<b>Rear window wiper and washer system</b>	8M1	Rear window wiper and washer system with intermittent

control

<b>Refrigerator</b>	1W2	Glove compartment cooling system
<b>Restraint systems, front</b>	3QT	3-point seat belts with tensioner and height adjustment, front
<b>Right exterior mirror</b>	5RQ	Right exterior mirror: convex
<b>Right vanity mirror</b>	4TB	Vanity mirror right
<b>Roll-up sun screen for rear and side windows</b>	3Y0	Without roll-up sun screen
<b>Roof insert/convertible top</b>	3FA	Without roof insert (standard roof)
<b>Roof rails/roof load rack</b>	3S4	Preparation for roof load rack
<b>Rough-road/sports version</b>	2UA	Standard design
<b>Safety certificate</b>	0LA	Without special plates/stickers/safety certificates
<b>Safety headrest system</b>	3K1	Safety headrest system
<b>Seat adjustment</b>	3L3	Manual height adjustment for front seats
<b>Seat belt check</b>	9P1	Seat belt reminder, electric contact in buckle

<b>Seat covering</b>	N2T	Fabric seat covering
<b>Seat heater</b>	4A3	Seat heater for front seats separately controlled
<b>Service interval prolongation</b>	QG1	Service interval prolongation
<b>Shock absorption, chassis, front</b>	G02	Front shock absorption
<b>Shock absorption, chassis, rear</b>	1JA	Rear shock absorption, basic design 1
<b>Side air bag</b>	4X3	Side air bag front with curtain air bag
<b>Side and rear windows</b>	4KC	Side and rear windows in heat-insulating glass
<b>Side lights</b>	7R6	Side turn signal lights in exterior mirrors
<b>Ski bag</b>	3X0	Without load-through provision
<b>Smoking/non-smoking package</b>	9JD	Smoking package, ashtray front
<b>Socket</b>	7B0	Without socket
<b>Spare wheel/breakdown set</b>	1G2	Steel spare wheel with original equipment tires
<b>Speaker installation</b>	8RM	8 speakers (passive)
<b>Special alarm systems</b>	9A0	Without taxi alarm system

<b>Special editions</b>	E0A	No special edition
<b>Special labels/plates</b>	2KX	Labels/plates in Danish, Finnish, and Swedish
<b>Steering</b>	1N3	Speed-related variable steering assist (Servotronic)
<b>Steering system arrangement</b>	L0L	Left-hand drive vehicle
<b>Steering wheels</b>	1MA	Steering wheel
<b>Telephone/telematics</b>	9W0	W/o car phone preparation/installation
<b>Tie down straps/net/pocket</b>	6M0	Without tie down straps/net/pocket
<b>Tire pressure warning light</b>	7K0	Without tire pressure warning light
<b>Tire suppliers</b>	V0A	Tires w/o specification of tire brand
<b>Tires</b>	H7F	Tires 195/65 R15 91H
<b>Tool kit and jack</b>	1S1	Tool kit and jack
<b>Trailer hitch</b>	1D0	Without trailer hitch
<b>Transmission specifications</b>	G0C	5-speed manual transmission
<b>Tray</b>	7N0	Without tray on roof liner
<b>Tray areas package</b>	QE4	Tray areas package 2
<b>TV reception/digital radio</b>	QV0	W/o TV

<b>reception</b>		reception/digital radio reception
<b>Type approval countries/countries with special requirements</b>	B04	Type approval Denmark
<b>Vehicle class differentiation units/platform components</b>	0HF	Vehicle class differentiation 1Z0
<b>Vehicle specifications</b>	F0A	No special purpose vehicle, standard equipment
<b>Vehicle type</b>	AZ0	Vehicle with standard production scope
<b>Washer fluid level indicator</b>	8W0	Without washer fluid level indicator
<b>Weight category front axle</b>	L06	Suspension range 06 installation control only, no requirement forecast
<b>Weight category rear axle</b>	0YD	Weight range 4 installation control only, no requirement forecast
<b>Wheel covers</b>	1NN	Full wheel covers
<b>Wheels</b>	C8V	Steel wheels 6J x 15
<b>Window regulator</b>	4R5	Power windows with comfort operation and circuit breaker, mechanical window regulators rear

---

<b>Windshield glass type</b>	4GF	Windshield in heat-insulating glass
<b>Windshield wiper intermittent control/light/rain sensor</b>	8N4	Windshield wiper intermittent control with potentiometer (four speeds)

---